Application/Control Number: 10/534,324

Art Unit: 1615

Notice of Non-Responsive Amendment

The reply filed on April 11, 2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): applicant did not identify the claims encompassing the elected species. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30)

DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS

TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARCOS SZNAIDMAN whose telephone number is (571)270-3498. The examiner can normally be reached on Monday through Thursday 8 AM to 6 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael P. Woodward can be reached on 571 272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/534,324 Page 3

Art Unit: 1615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/MARCOS SZNAIDMAN/ Examiner, Art Unit 1611 July 2, 2008 /MP WOODWARD/ Supervisory Patent Examiner, Art Unit 1615